


Key Features

- Supports SVCs and PVCs
- 1,000 simultaneous sessions
- Developers Toolkit and Line Monitor
- Sockets and Java APIs to access XOT
- ISO Transport API
- Supported on multi-processor, 32 and 64 bit systems
- Supported distributions: Redhat, SuSE, Mandrake, Debian, Fedora, Ubuntu, Slackware and more



Overview

The FarSync XOT Runtime has been developed to provide high performance and very reliable **XOT connectivity for Linux**.

There are 2 main APIs, a Sockets based interface and a Java API. There is also an APIs to the ISO Transport layers (ISO 8073 - connection oriented). A comprehensive Developers Toolkit is included with the product.

FarSync XOT Runtime is supported on **Linux kernel versions 2.6, including the leading distributions supplied by Redhat, SuSE, Mandriva, Debian, Ubuntu, Slackware, Fedora and others**. Multi-processor, 32 and 64 bit systems are supported. The source code for the driver and the libraries for the API are supplied with the product

FarSite is committed to supporting the FarSync XOT products on new versions of Linux as they are released.

The FarSync XOT Runtime interoperates with the FarLinX X25 Gateway and other XOT devices.

Typical Applications

The FarSync XOT Runtime is suitable for connection to remote systems running XOT, typical applications include:

- XOT replacements for X.25 networks
- E-Commerce gateways for credit verification

Developers Toolkit

The developers toolkit is included free with the FarSync XOT Runtime product and features:

- Documented working C and Java source sample programs. Source code from these samples can be used to fast-track your development process
- Comprehensive API manuals with function call definitions and helpful advice on the best way to utilise the various interfaces
- Source code for the drivers and API libraries
- Free email and telephone assistance by FarSite Engineering group to application developers

APIs for Application Development

For application developers needing to access XOT there is a **choice of a Sockets API or a Java API**. Both APIs interfaces may be used simultaneously by different programs if required. API manuals and many example applications are included in the Developers Toolkit for both types of interface. The APIs are compatible with the APIs for FarSync X25 adapters.

Sockets API - XOT

The Sockets interface provides a programming language independent high level connection orientated interface with access to a comprehensive set of X.25 features. The FarSync Sockets implementation is compatible with the BSD Sockets interface. The API is compatible with the Sockets API for the FarSync X25 cards. Multi-threaded applications are supported.

Java API - XOT

The Java API allows applications written in Core Java Software (J2SE) and Enterprise Java Software (J2EE) easy access to the functions and features of FarSync XOT. Full documentation and sample applications are provided.

Configuration

Configuration is by a Java and XML-based GUI configuration application. A typical screen is shown below.


Text file based configuration is also available if required.

Installation

Installation scripts adapt to install the software on the major Linux distributions and a manual install option is available using the scripts as a guide, available on the CD-ROM or for download from the Support section of www.farsite.com.

Source code is available as a .tar.gz.

A comprehensive configuration guide, commands reference and configuration examples are provided as part of the HTML documentation pack.



Utilities

A line monitor utility is included, this can display data sent over the XOT lines at the frame and packet level, it is invaluable when developing and debugging applications.

A status utility allows display of the channel connection status and statistics of user data, packet and frame types.

DUW U j b [']

The XOT software, drivers, utilities and the Developers Toolkit are all included on the CD-ROM.

The XOT software is regularly updated and available for downloading from the Download page in the Support section of www.farsite.com.

GcZk UY GdYVZVUjcbg Zcf: UfGnbWLCHEi bhja YZf @bi I '		
CdYfUj b ['Gng h a g' gi ddcfhYX''	@bi I 'XjghjVi hcbg gi dd'JYX VmiFYX UZGi G9ZA UbXfj UZ8 YVJubzi Vi bh ZG UW k UYz : YXcfUUbX'ch Yfg' FarSite is committed to supporting the FarSync XOT Runtime on new versions of Linux as they are released.	
@bi I '? YfbY' gi ddcfh	All sub versions of kernel releases from 2.6.9 onward. The product may operate successfully with earlier versions of the kernel but no specific testing has been undertaken.	
* ('VjhUbX'a i 'h!dfcWggcf' gng h a g'	Designed for and tested on single and multi-processor) Servers, 32 and 64 bit systems.	
LCH: YUhi fYg''		
LCHgdYVZVUjcb'	Complies with RFC 1613 - X.25 over TCP (XOT)	
A U j a i a 'GJ7 g'#DJ7 g'	1,000, any mix of SVC and PVC	
A U j a i a 'LCHWbbYVjcbg'	Up to 1,000	
8 UH DUW Yhg]nYfUb [Y'	0 to 4096 bytes	
CC6 'fc i h cZ6 UbXEXUHJ	OOB support for Interrupts, Resets and the D bit	
LCHfL&) EZMj]HjYg' gi ddcfhYX''	Closed User Group (CUG), Network User Identifier (NUI), Fast Select, Packet and Windows size negotiation, Throughput Class Negotiation.	
5 WYggjV'Y' j]U5 D=	Yes, a Sockets based interface and a Java API	
=GC 'HfUbgdcfhicj Yf' LCH: YUhi fYg''		
GHUbXUFX' gi ddcfhYX''	ISO 8073 (connection oriented), Classes 0, 1, 2 and 3	
BY [chjUjcb' VYtk Yyb' WUggYg''	Yes	
A U j a i a 'gja i 'hUbYci g' WbbYVjcbg'	Up to 4,095	
5 WYggjV'Y' j]U5 D=	Yes, a NCB API	
8 Yj Y cdYfg' Hcc' _]hi		
LCH5 D=	GcW Yfg' 5 D= easy to use, provides access to the XOT features, recommended for most developments. >Uj U5 D= allows easy access to XOT from Java applications.	
=GC 'HfUbgdcfh5 D=	NCB based API providing access to all the features of the ISO Transport support. Can operate simultaneously with access to the XOT layer.	
5 D=fYZfYbW'a Ubi U g'	Manuals: XOT and X.25 Sockets API, ISO Transport API and Java API documentation	
GUa d'Ydfc [fUa g'	Included, large number of example applications are available for driving the various APIs.	
Gci fW'WXY'	Included for drivers, the API libraries and sample C and Java applications	
CfXYf' bZfa Ujcb'		
DfcXi WbUa Y'	8 YgW]dhjcb'	DfcXi W7cXY'
: UfGnbWLCHEi bhja Y XOT (X.25 over TCP/IP) Runtime software for Linux		FS9506

Microsoft, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

All trademarks and registered trademarks are acknowledged.

Changes are periodically made to the information herein; these changes will be incorporated into new editions of the publication. FarSite Communications may make improvements and/or changes in the products and/or programs described in this publication at any time.

© Copyright FarSite Communications Ltd, 2008. All rights reserved. Distributed by Network Technologies Dtlid. GmbH

Tel: +49 2253 92420
 Fax: +49 2253 924229
 Email: info@ntdgmbh.de
 Web: www.ntdgmbh.de

